

Written by Administrator
Wednesday, 15 May 2013 07:59

<table border="1" cellspacing="0" cellpadding="0" style="width: 638px; margin-left: 4.9pt; border-collapse: collapse;"> <tr style="height: 11.9pt;"> <td width="638" colspan="4" style="width: 478.3pt; border: 1pt solid windowtext; padding: 0in 5.4pt; height: 11.9pt;"> <p align="center" style="margin-right: 6pt; margin-left: 6pt; text-align: center;">B?NG DANH M?C SINH PH?M CHU?N ?O</p> <p align="center" style="margin-right: 6pt; margin-left: 6pt; text-align: center;">TH??NG HI?U ONSITE </p> <p align="center" style="margin-right: 6pt; margin-left: 6pt; text-align: center;">H?G CALIFORNIA TEST KITS (CTK) - M?</p> </td> <td width="0" height="16" style="height: 11.9pt; border: none;"></td> </tr> <tr style="height: 18.3pt;"> <td width="80" nowrap="nowrap" rowspan="2" style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext; border-bottom-color: windowtext; border-left-color: windowtext; border-right-width: 1pt; border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 18.3pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">STT</p> </td> <td width="308" nowrap="nowrap" rowspan="2" style="width: 230.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 18.3pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">T? TEST NHANH</p> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">& ??NH D?NG</p> </td> <td width="109" nowrap="nowrap" rowspan="2" style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 18.3pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">M?U TH?</p> </td> <td width="141" rowspan="2" style="width: 105.5pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 18.3pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">?G G
(test/h?p)</p> </td> <td width="0" height="24" style="height: 18.3pt; border: none;"></td> </tr> <tr style="height: 13.25pt;"> <td width="0" height="18" style="height: 13.25pt; border: none;"></td> </tr> <tr style="height: 36.15pt;"> <td width="80" nowrap="nowrap" style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext; border-bottom-color: windowtext; border-left-color: windowtext; border-right-width: 1pt; border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p align="center" style="margin: 5pt 12pt; text-align:

Written by Administrator
Wednesday, 15 May 2013 07:59

center; line-height: 12pt;">1</p> </td> <td width="308" nowrap="nowrap" style="width: 230.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p style="margin: 5pt 12pt; line-height: 12pt;">Onsite HIV-1 / HIV-2 Ab</p> <p style="margin: 5pt 12pt; line-height: 12pt;">Plus Combo (3 lines)* </p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>(Th? kh?g th? HIV 1/2 &</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>ph? bi?t IgG, IgM v?lgA, d?ng khay)</i></p> </td> <td width="109" nowrap="nowrap" style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">*S, P, WB</p> </td> <td width="141" nowrap="nowrap" style="width: 105.5pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">30</p> </td> <td width="0" height="48" style="height: 36.15pt; border: none;"></td> </tr> <tr style="height: 18.3pt;"> <td width="80" nowrap="nowrap" style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext; border-bottom-color: windowtext; border-left-color: windowtext; border-right-width: 1pt; border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 18.3pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">2</p> </td> <td width="308" nowrap="nowrap" style="width: 230.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 18.3pt;"> <p style="margin: 5pt 12pt; line-height: 12pt;">Onsite HCV Ab</p> <p style="margin: 5pt 12pt; line-height: 12pt;">Plus strip</p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>(Th? kh?g th? vi? gan C,</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>d?ng que)</i></p> </td> <td width="109" nowrap="nowrap" style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 18.3pt;"> <p

Written by Administrator
Wednesday, 15 May 2013 07:59

<p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">S, P</p>	
<p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">50</p>	
<p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">3</p>	
<p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">Onsite HCV Ab</p>	
<p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">Combo</p>	
<p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;"><i>(Th? kh?g th? vi? gan C,</i></p>	
<p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;"><i>d?ng khay)</i></p>	
<p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">S, P, WB</p>	
<p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">30</p>	
<p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">4</p>	

Written by Administrator
Wednesday, 15 May 2013 07:59

line-height: 12pt;">Onsite Syphilis
Ab</p> <p
style="margin: 5pt 12pt; line-height: 12pt;"><span style="font-size: 11pt; font-family:
Verdana;">strip</p>
<p style="margin: 5pt 12pt; line-height: 12pt;"><i><span style="font-size: 11pt; font-family:
Verdana;">(Th? kh?g th? giang mai,</i><span style="font-size: 8.5pt; font-family:
Verdana;"></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i><span
style="font-size: 11pt; font-family: Verdana;">d?ng que</i><span style="font-size:
8.5pt; font-family: Verdana;"></p> </td> <td width="109" nowrap="nowrap"
style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext;
border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in
5.4pt; height: 17.8pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height:
12pt;">S, P<span style="font-size:
8.5pt; font-family: Verdana;"></p> </td> <td width="141" nowrap="nowrap"
style="width: 105.5pt; border-style: none solid solid none; border-bottom-color: windowtext;
border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in
5.4pt; height: 17.8pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height:
12pt;">50<span style="font-size:
8.5pt; font-family: Verdana;"></p> </td> <td width="0" height="24" style="height:
17.8pt; border: none;"></td> </tr> <tr style="height: 27pt;"> <td width="80" nowrap="nowrap"
style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext;
border-bottom-color: windowtext; border-left-color: windowtext; border-right-width: 1pt;
border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p
align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;"><span
style="font-size: 11pt; font-family: Verdana;">5<span style="font-size: 8.5pt; font-family:
Verdana;"></p> </td> <td width="308" nowrap="nowrap" style="width: 230.9pt;
border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt;
border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p
style="margin: 5pt 12pt; line-height: 12pt;"><span style="font-size: 11pt; font-family:
Verdana;">Onsite HbsAg<span style="font-size: 8.5pt; font-family:
Verdana;"></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i><span
style="font-size: 11pt; font-family: Verdana;">(Th? kh?g nguy? vi? gan B,</i><span
style="font-size: 8.5pt; font-family: Verdana;"></p> <p style="margin: 5pt 12pt;
line-height: 12pt;"><i>d?ng
que</i></p> </td> <td
width="109" nowrap="nowrap" style="width: 81.9pt; border-style: none solid solid none;
border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext;
border-right-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p align="center" style="margin: 5pt
12pt; text-align: center; line-height: 12pt;"><span style="font-size: 11pt; font-family:
Verdana;">S, P</p> </td>
<td width="141" nowrap="nowrap" style="width: 105.5pt; border-style: none solid solid none;
border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext;
border-right-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p align="center" style="margin: 5pt
12pt; text-align: center; line-height: 12pt;"><span style="font-size: 11pt; font-family:
Verdana;">50</p> </td>
<td width="0" height="36" style="height: 27pt; border: none;"></td> </tr> <tr style="height:

Written by Administrator
Wednesday, 15 May 2013 07:59

<p>27pt;"> <td width="80" nowrap="nowrap" style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext; border-bottom-color: windowtext; border-left-color: windowtext; border-right-width: 1pt; border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">6</p> </td> <td width="308" nowrap="nowrap" style="width: 230.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p style="margin: 5pt 12pt; line-height: 12pt;">Onsite HBsAg</p> <p style="margin: 5pt 12pt; line-height: 12pt;">Combo Rapid Test, cs</p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>(Th? kh?ng nguy? vi? gan B, d?ng khay)</i></p> </td> <td width="109" nowrap="nowrap" style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">S, P, WB</p> </td> <td width="141" nowrap="nowrap" style="width: 105.5pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">30</p> </td> <td width="0" height="36" style="height: 27pt; border: none;"></td> </tr> <tr style="height: 17.8pt;"> <td width="80" nowrap="nowrap" style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext; border-bottom-color: windowtext; border-left-color: windowtext; border-right-width: 1pt; border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 17.8pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">7</p> </td> <td width="308" nowrap="nowrap" style="width: 230.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 17.8pt;"> <p style="margin: 5pt 12pt; line-height: 12pt;">Onsite HAV IgM</p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>(Th? kh?ng th? vi?</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>gan A, d?ng khay)</i></p> </td> <td width="109" nowrap="nowrap" style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 17.8pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;"></p>
--

Written by Administrator
Wednesday, 15 May 2013 07:59

<p>Verdana;">S, P</p> </td></p>	<p><td width="80" nowrap="nowrap" style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext; border-bottom-color: windowtext; border-left-color: windowtext; border-right-width: 1pt; border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 17.8pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">30</p> </td></p>
<p><td width="0" height="24" style="height: 17.8pt; border: none;"></td> </tr> <tr style="height: 17.8pt;"> <td width="80" nowrap="nowrap" style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext; border-bottom-color: windowtext; border-left-color: windowtext; border-right-width: 1pt; border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 17.8pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">8</p> </td> <td width="308" nowrap="nowrap" style="width: 230.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 17.8pt;"> <p style="margin: 5pt 12pt; line-height: 12pt;">Onsite HEV IgM</p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>(Th? kh?ng th? vi?</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>gan E, d?ng khay)</i></p> </td> <td width="109" nowrap="nowrap" style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 17.8pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">S, P</p> </td> <td width="141" nowrap="nowrap" style="width: 105.5pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 17.8pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">30</p> </td> <td width="0" height="24" style="height: 17.8pt; border: none;"></td> </tr> <tr style="height: 27pt;"> <td width="80" nowrap="nowrap" style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext; border-bottom-color: windowtext; border-left-color: windowtext; border-right-width: 1pt; border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">9</p> </td> <td width="308" nowrap="nowrap" style="width: 230.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p style="margin: 5pt 12pt; line-height: 12pt;">Onsite Chlamydia Ag</p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>(Th? kh?ng nguy?</i></p></p>	

Written by Administrator
Wednesday, 15 May 2013 07:59

</p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>Chlamydia, d?ng khay)</i></p> </td> <td width="109" nowrap="nowrap" style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">D?ch</p> </td> <td width="141" nowrap="nowrap" style="width: 105.5pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">25</p> </td> <td width="0" height="36" style="height: 27pt; border: none;"></td> </tr> <tr style="height: 36.15pt;"> <td width="80" nowrap="nowrap" style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext; border-bottom-color: windowtext; border-left-color: windowtext; border-right-width: 1pt; border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">10</p> </td> <td width="308" nowrap="nowrap" style="width: 230.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p style="margin: 5pt 12pt; line-height: 12pt;">Onsite Malaria Pf/Pv</p> <p style="margin: 5pt 12pt; line-height: 12pt;">Ag Rapid test (3 lines)</p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>(Th? ph? bi?t kh?g</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>nguy? s?t r? ch?ng P.f / P.v, d?ng khay)</i></p> </td> <td width="109" nowrap="nowrap" style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">WB</p> </td> <td width="141" nowrap="nowrap" style="width: 105.5pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">30</p> </td> <td width="0" height="48" style="height: 36.15pt; border: none;"></td> </tr> <tr style="height: 36.15pt;"> <td width="80" nowrap="nowrap" style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext; border-bottom-color: windowtext; border-left-color: windowtext; border-right-width:

Written by Administrator
Wednesday, 15 May 2013 07:59

<p>1pt; border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">11</p> </td> <td width="308" nowrap="nowrap" style="width: 230.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p style="margin: 5pt 12pt; line-height: 12pt;">Onsite Malaria</p> <p style="margin: 5pt 12pt; line-height: 12pt;">/Pan malaria</p> <p style="margin: 5pt 12pt; line-height: 12pt;">antigen (3 lines)</p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>(Th? ph? bi?t</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>kh?ng nguy? s?t r?</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>ch?ng Pan, d?ng khay)</i></p> </td> <td width="109" nowrap="nowrap" style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">WB</p> </td> <td width="141" nowrap="nowrap" style="width: 105.5pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">30</p> </td> <td width="0" height="48" style="height: 36.15pt; border: none;"></td> </tr> <tr style="height: 36.15pt;"> <td width="80" nowrap="nowrap" style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext; border-bottom-color: windowtext; border-left-color: windowtext; border-right-width: 1pt; border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">12</p> </td> <td width="308" nowrap="nowrap" style="width: 230.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p style="margin: 5pt 12pt; line-height: 12pt;">Onsite Dengue</p> <p style="margin: 5pt 12pt; line-height: 12pt;">lgG/lgM</p> <p style="margin: 5pt 12pt; line-height: 12pt;">Combo (3 lines)</p> </td> </tr> </table> </p>
--

Written by Administrator
Wednesday, 15 May 2013 07:59

</p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>(Th? ph? bi?t kh?g</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>th? lgM, lgG s?t</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>xu?t huy?t Dengue ? 3 v?ch,</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>d?ng khay)</i></p> </td> <td width="109" nowrap="nowrap" style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">S, P, WB</p> </td> <td width="141" nowrap="nowrap" style="width: 105.5pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">30</p> </td> <td width="0" height="48" style="height: 36.15pt; border: none;"></td> </tr> <tr style="height: 36.15pt;"> <td width="80" nowrap="nowrap" style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext; border-bottom-color: windowtext; border-left-color: windowtext; border-right-width: 1pt; border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">13</p> </td> <td width="308" nowrap="nowrap" style="width: 230.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 36.15pt;"> <p style="margin: 5pt 12pt; line-height: 12pt;">Onsite Duo Dengue</p> <p style="margin: 5pt 12pt; line-height: 12pt;">Ag+lgG/lgM</p> <p style="margin: 5pt 12pt; line-height: 12pt;">(5 lines, 2 panel)</p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>(Th? t?ng h?p,</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>ph? bi?t kh?g nguy?</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>s?t xu?t huy?t Dengue</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>? 5 v?ch, 2 khay)</i></p> </td> <td

Written by Administrator
Wednesday, 15 May 2013 07:59

	<p>S, P</p>
<p>14</p>	<p>Onsite Duo Dengue Ag Rapid test, cs <i>(Th? kh?ng nguy?ng xu?t huy?t Dengue, d?ng khay)</i></p>
	<p>S, P, WB</p>
<p>30</p>	

Written by Administrator
Wednesday, 15 May 2013 07:59

12pt;">15</p> </td> <td width="308" nowrap="nowrap" style="width: 230.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p style="margin: 5pt 12pt; line-height: 12pt;">Onsite H. Pylori</p> <p style="margin: 5pt 12pt; line-height: 12pt;">Ab Combo</p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>(Th? vi lo d? d?,</i></p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>t?tr?g, d?ng khay)</i></p> </td> <td width="109" nowrap="nowrap" style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">S, P, WB</p> </td> <td width="141" nowrap="nowrap" style="width: 105.5pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 27pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">30</p> </td> <td width="0" height="36" style="height: 27pt; border: none;"></td> </tr> <tr style="height: 17.8pt;"> <td width="80" nowrap="nowrap" style="width: 60.05pt; border-style: none solid solid; border-right-color: windowtext; border-bottom-color: windowtext; border-left-color: windowtext; border-right-width: 1pt; border-bottom-width: 1pt; border-left-width: 1pt; padding: 0in 5.4pt; height: 17.8pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">16</p> </td> <td width="308" nowrap="nowrap" style="width: 230.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 17.8pt;"> <p style="margin: 5pt 12pt; line-height: 12pt;">Onsite H. Pylori Ag</p> <p style="margin: 5pt 12pt; line-height: 12pt;"><i>(B? kit chu?n H. Pylori)</i></p> </td> <td width="109" nowrap="nowrap" style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 17.8pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">Stool</p> </td> <td width="141" nowrap="nowrap" style="width: 105.5pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 17.8pt;"> <p align="center"

Written by Administrator
Wednesday, 15 May 2013 07:59

25

17

--	--

Onsite Troponin I

(Th? nh?i m? c? tim,

d?ng khay)

--	--

S, P

--	--

30

--	--

18

--	--

Onsite FOB

rapid test (25

ng/ml)

(Th? ung th? h?u m?,

Written by Administrator
Wednesday, 15 May 2013 07:59

style="font-size: 11pt; font-family: Verdana;">d?ng khay)</i></p> </td> <td width="109" nowrap="nowrap" style="width: 81.9pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 35.95pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">Ph◆</p> </td> <td width="141" nowrap="nowrap" style="width: 105.5pt; border-style: none solid solid none; border-bottom-color: windowtext; border-bottom-width: 1pt; border-right-color: windowtext; border-right-width: 1pt; padding: 0in 5.4pt; height: 35.95pt;"> <p align="center" style="margin: 5pt 12pt; text-align: center; line-height: 12pt;">25</p> </td> <td width="0" height="48" style="height: 35.95pt; border: none;"></td> </tr> </table>